


Ayurvedic Panchakarma Therapy Upakaran



INDEX



VIDHI INTERNATIONAL
Care for Health

Type.	Code. No.	Description	Page No.
SNEHAN KARMA			03-07
	VI 1001	DELUXE PANCHAKARMA WORK-STATION	
	VI 1002	MASSAGE cum SHIRODHARA TABLE	
	VI 1003	TRADITIONAL MASSAGE TABLE (Wooden)	
	VI 1004	MASSAGE TABLE with SHIRODHARA YANTRA (Electrical)	
	VI 1005	SARVANG DHARA SNEHAN YANTRA (Electrical)	
	VI 1006	HI-LOW MASSAGE TABLE with SHIRODHARA YANTRA Electrical	
	VI 1015	STAND for SHIRODHARA (Metal with SS Pot)	
	VI 1016	STAND for SHIRODHARA (Wooden, with Copper Pot)	
	VI 1017	DELUXE STAND for SHIRODHARA (Wooden, with Copper Pot)	
	VI 1018	SHIRODHARA STAND wooden, with HEAD SUPPORT	
	VI 1025	SHIRODHARA YANTRA (Electrical)	
VASHAPA SWEDAN YANTRA			08-10
	VI 1030	STEAM CABINET (with Steam Generator)	
	VI 1031	SARVANG VASHPA SWEDAN YANTRA (with Trolley)	
	VI 1032	SARVANG VASHPA SWEDAN YANTRA (Box Type)	
	VI 1033	AARSH VASHAPA SWEDAN YANTRA (with Steamer)	
	VI 1040	NADI SAWEDAN YANTRA (Electrical)	
	VI 1041	NADI SAWEDAN YANTRA SEMI AUTOMATIC (Electrical)	
TAAP SWEDAN YANTRA			11
	VI 1050	SAUNA CABIN DELUXE / TAAP SWEDAN YANTRA	
	VI 1051	VIDYUT (Infra-Red) BATH CABINET	
DRAVAYA SWEDAN YANTRA			12
	VI 1055	FULL-BODY OIL BATH (Avaghah-swed)	
	VI 1056	FULL-BODY WATER BATH (Avaghah-swed)	
PRADHAN KARMA			13
	VI 1060	VEERACHAN CHAIR	
	VI 1061	VAMAN PEETH (Chair + Table)	
	VI 1062	NASYA PEETH	
PANCHAKARMA ACCESSORIES			14-15
	VI 1070	SHIRODHARA POT / YANTRA (Stainless Steel)	
	VI 1071	SHIRODHARA POT / YANTRA (Stainless Steel) with Oil Flow Control Valve	
	VI 1072	SHIRODHARA POT / YANTRA (Brass)	
	VI 1073	SHIRODHARA POT / YANTRA (Brass) with Oil Flow Control Valve	
	VI 1074	SHIRODHARA POT / YANTRA (Copper)	
	VI 1075	SHIRODHARA POT / YANTRA (Copper) with Oil Flow Control Valve	
	VI 1080	VASTI YANTHRAM with two Vasti Tips. (Metal)	
	VI 1085	SHIRO-VASTI CAP, Large	
	VI 1090	SHALAKA (Panchaloha)	
	VI 1095	PANCHAKARMA / PIZHICHIL ACCESSORIES (Sets of 16 essential items)	



VI 1001 - DELUXE PANCHAKARMA WORK-STATION

VI 1001 | DELUXE PANCHAKARMA WORK-STATION

Sturdily built, sleek & elegant Abhyanga table top is constructed of mill jointed wooden board with hardwood borders. The table has a slant towards Head-end and Foot-end for collection of oil. Table can be used for

- Abhyanga
- Shirodhara
- Nasaya
- Vashpa
- Nadi Swedan

SPECIFICATION:

- Table size 200cm x 80cm x 80cm high.
- Construction Bed made of jointed wooden board with hand carved side borders & legs.
- Shirodhara Stand Carved solid Wood stand with storage box is mounted on wheels & comes with a Copper pot, brass chains & hooks to hang. Pot with hammer marks has a bright natural finish.
- Swedan Yantra Heavy Aluminum body is fitted with electric heater, pressure gauge, safety pressure valve & steam flow control valves. Mounted on wheels.
- Nadi Swedan Steam flows from a hand-held nozzle to give proper steam-bath at a point.
- Steam Dome Aluminum Strip constructed and painted collapsible Dome for Steam Bath. Overall size Approx : 18" x 60" x 28"
- Accessories One Copper Pot, Three white or off white cotton sheet covers for Steam Dome, foot stool & wooden partition for Steamer.
- Finish Natural wood polish finish.
- Power 220V AC. 3kw.



Steam Dome



Leak Proof Specially Design Wooden Sink



VI 1002 - MASSAGE CUM SHIRODHARA TABLE

VI 1002 | MASSAGE CUM SHIRODHARA TABLE

Hardwood constructed with natural wood polish finish, Massage cum Shirodhara table has a slanted and curved Hardwood top for full body oil massage. Table has a shelf for storage of oil bottles and towels etc. Head end is fitted with slanted wooden board for head placement and oil collection. An overhead chrome plated bar with Stainless Steel oil pot, is provided for Shirodhara.

Approximate Size : 89" x 31" x 32" high.

Accessories One S.S.oil pot, of 2lit. capacity.
 One S.S.Bucket for oil collection.
 One wipper for cleaning.



Leak Proof Specialty Design Wooden Sink

VI 1003 | TRADITIONAL MASSAGE TABLE (Wooden)

Hardwood constructed Massage table has a slanted & curved, wooden top for full body oil massage and shirodhara. Head end has a special design wooden pot for oil collecting. Comes with 2 S.S. buckets. Can be used for Abhyanga, Shirodhara & Nasyam etc.

SPECIFICATION:

- Dharapathy Sturdily built, sleek & elegant, constructed of wooden board with wooden rim all around.
- Size 290cmx79cmx15cm high.(Total height 80cm).
- Stand for Carved wooden legs with a shelf for storage of oil bottles & towels etc. Built to bear the weight of pathy + patient.
- Accessories Two, buckets for oil collection.
- Finish Available in natural wood polish



VI 1003 - TRADITIONAL MASSAGE TABLE (Wooden)



HEAD END





VI 1004 - MASSAGE TABLE with SIRODHARA YANTRA (Electrical)

VI 1004 | MASSAGE TABLE with SIRODHARA YANTRA (Electrical)

Polished Hardwood constructed table is 2.25 meter long and 80cm wide, has a little slant towards head end. Yantra is fitted with stainless steel sink for oil collecting, filtration and thermostatic heat control arrangements of the oil. Oil is lifted and Tel Dhara drops on patients forehead automatically. Flow of Oil Drops and Movement of oil pipe can be controlled electrically. An electrical Timer stops the treatment at the pre-fixed time.

VI 1005 | SARVANG DHARA SNEHAN YANTRA (Electrical)

Specifically designed, deluxe model Pizhichil, yantra provides Full body oil bath, Sirodhara oil bath and Hand-shower oil bath with individual electrical & Valve controls.



VI 1005 - SARVANG DHARA SNEHAN YANTRA (Electrical)

SPECIFICATION:

- Dhara Patti. (Table) Wooden table top with leak proof wooden sink is made of One piece wooden board having 5cm high rim all around the top and mounted on carved hardwood legs.
- Size of Table Approx. 90" x 31" x 32" high.
- Dhara System
 - A. Sarvang Dhara frame is made of stainless steel tube with holes for oil flow on the body.
 - B. Shirodhara system, made of S.S. tube is adjustable in height & swings / spray oil horizontally on the forehead auto-matically.
- Snehan Yantra Oil flow & Control Yantra is fitted with;
 - A. Two low voltage DC & AC motors for pump and movement systems
 - B. Oil Filtration and Collecting chamber.
 - C. Unit is fitted with DigitalTemperatureIndicator cum Controller to control the temprature of the oil.
- Timer An electrical Timer stops the treatment at the pre-fixed time.
- Power 220V, AC.

SPECIAL FEATURES:

The oil is automatically lifted and drops on the forehead or on full body. Flow of the oil may be controlled digitally. An electrical Timer stops the treatment at pre-fixed time. A heater keeps the oil soothing hot for the treatment at the pre-fixed temprature. The yantra is elegantly finished.





VI 1006 | HI-LOW MESSAGE TABLE with SHIRODHARA YANTRA
Electrical



VI 1006 - HI-LOW MESSAGE TABLE with SHIRODHARA YANTRA Electrical

Variable height Dharapathy is suitable for Abhyanga, Shirodhara and Nasyam etc. The top is electrically adjustable in height with imported jack for Sit-to-Stand treatments & an easy access & transfer of patients from wheel chairs. The top is mounted on metal Frame-work with powder coated finish.

SPECIFICATION:

- Height Adjustment Electrically, with Hand-switch, from 52cm to 95cm.
- Dharapathy Abhyanga pattika Size 210cm long x 80cm wide constructed of hard wood board with natural finish.
- Shirodhara Yantra Yantra is fitted with Oil Collecting, Filtration & thermostatic Heat Control arrangements of the oil. Oil is lifted & Tel Dhara drops on patients forehead automatically. Flow of oil drops and movement of oil pipe can be controlled electrically. An electrical Timer stop the treatment at the pre-fixed time.
- Power Supply 220V AC.

VI 1015 | STAND for SHIRODHARA (Metal with SS Pot)



VI 1015 - STAND for SHIRODHARA (Metal with SS Pot)

Painted metal stand with chrome plated over-head bar is mounted on a wide tubular base, base is fitted with two wheels for mobility. Unit comes with stainless steel oilpot of 2 lit. capacity, brass chains & hook to hang for Shirodhara treatments.

VI 1016 | STAND for SHIRODHARA (Wooden, with Copper Pot)



VI 1016 - STAND for SHIRODHARA (Wooden, with Copper Pot)

Heavy duty, carved solid Wood stand with wide wooden base for stability. Base is mounted on four wheels for mobility. Unit comes with a Copper pot, brass chains & hook to hang for shirodhara oil treatments Pot with Oil capacity of 2 lit. is fitted with oil flow control valve mechanism. Pot with hammer marks has a bright natural finish.



VI 1017 - DELUXE STAND for SHIRODHARA
(Wooden, with Copper Pot)

VI 1017 | DELUXE STAND for SHIRODHARA (Wooden, with Copper Pot)

Beautifully hand crafted, hard-wood constructed stand with Utility Box for storage of massage oils, aromatic liquids, towels etc. Stand is mounted on broad wooden platform for perfect stability and four castors for easy shifting. The stand comes with a Copper Pot with capacity of 2 litres of massage oils and Brass chains and hook to hang Copper Pot. The pot is fitted with oil flow control valve mechanism and has bright natural finish with hammer marks.

VI 1018 | SHIRODHARA STAND wooden, with HEAD SUPPORT

A complete manual Shirodhara Yantra consists of carved wooden stand, copper pot, adjustable wooden head support, oil collecting pot with bucket & mug for shirodhara oil treatments. Can be used with any table.

SPECIFICATION:

- Stand Carved Wooden stand with wheels.
- Pot/Yantra Copper, 2 lit. capacity, fitted with oil flow control valve.
- Head Support Specifically designed adjustable wooden Head Support with oil collecting and draining system.
- Oil Collection A copper pot with stainless steel bucket placed under the head support for collecting oil.
- Accessories A copper Mug for transfer of oil from Bucket to Pot.
- Finish Wooden Stand in natural polish finish and Pot with hammer marks has a bright natural finish.

VI 1025 | SHIRODHARA YANTRA (Electrical)

Yantra is fitted with stainless steel sink for Oil + Collecting, Filtration, and Digital Temperature indicator cum controller for Temperature Control arrangements of the oil. Oil is lifted & Tel Dhara drops on patients forehead automatically. Flow of Oil Drops / Dhara can be controlled electrically & electrical oscillatory movement of oil pipe can be stopped if not required. An electrical Timer stops the treatment at the pre-fixed time. The metal cabinet with chrome plated push handle is mounted on four wheels and has Powder coated finish.



VI 1018 - SHIRODHARA STAND wooden, with HEAD SUPPORT



VI 1025 - SHIRODHARA YANTRA (Electrical)



VI 1030 - STEAM CABINET (with Steam Generator):

VI 1030 | STEAM CABINET (with Steam Generator)

A well designed sturdily built cabinet made out of hardwood and waterproof ply, is equipped with an adjustable wooden seat & foot rest. The cabinet has laminated finish from outside & spray painted from inside. A stainless steel tray is provided to store condensed water.

Approximate size: width 28" x depth 37" x height 47"

SPECIFICATION:

- Construction Hardwood and water proof ply.
- Steam Heavy Aluminum body, with Safety Valve, Steam Generator control valves & Pressure Gauge.
- Power 3 kw, Heater. 220V AC.
- Temperature Unit is fitted with Temperature Controller cum Indicator.
- Timer 60 minutes, to control the working of steam generator.
- Finish Inside painted and outside is laminated.
(You have to fill water manually in steam generator, after every 4 baths).

VI 1031 | SARVANG VASHPA SWEDAN YANTRA (with Trolley)



VI 1031 - SARVANG VASHPA SWEDAN YANTRA (with Trolley)

Full-body steam bath is specifically designed for weak patients to have steam bath in lying down position. Patient lies on a special moving trolley wooden pillow outside the chamber. Steam is generated electrically & passes through rubber & copper pipes in the box and flow of steam can be controlled by hand-shut valve.

SPECIFICATION:

- Construction Hardwood and waterproof ply, with Acrylic window on both sides.
- Steam Heavy Aluminum body, with Safety Valve, Steam Control Valve & Pressure Gauge.
- Timer 60 minutes, to control the working of steam generator.
- Power 3kw, Heater. 220V AC.
- Temperature Unit is fitted with Temperature Controller cum Indicator.
- Overall Size 84" long x 36" wide x 40" high.
- Finish Inside painted and outside is polished natural.
(You have to fill water manually in steam generator, after every 4 baths).



VI 1032 - SARVANG VASHPA SWEDAN YANTRA (Box Type)

VI 1032 | SARVANG VASHPA SWEDAN YANTRA (Box Type)

Full-body steambath, made of water resistance Hardwood & Plyboard. Specifically designed as a box for weak patients to have steambath in lying down position. Patient's head rests on wooden pillow outside the chamber & body rest on wooden mesh inside the box. The lid is fitted with water proof plyboard & lid opens on hinges for convenience of the patient to enter. Steam is generated electrically & passes through rubber / copper pipes in the box from both sides and can be controlled by gate valve.



VI 1032 - Open View

SPECIFICATION:

- Construction Hardwood and water proof ply.
- Steam Generator Heavy Aluminum body, with Safety Valve, Steam Control Valve & Pressure Gauge.
- Timer 60 minutes, to control the working of steam generator.
- Power 3kw, Heater. 220V AC.
- Temperature Unit is fitted with Temperature Controller cum Indicator.
- Size 84" long x 32" wide x 33" high.
- Finish Inside painted and outside is polished natural.

(You have to fill water manually in steam generator, after every 4 baths.)



VI 1033 - AARSH VASHAPA SWEDAN YANTRA (with Steamer):

VI 1033 | AARSH VASHAPA SWEDAN YANTRA (with Steamer):

Comfortable chair, constructed of tubular pipe and finished in oven baked enamel is fitted with solid wood seat having electrically Steam Generating unit for fomentation. Medicinal roots or leaves can be added in to the water and can be cleaned easily. The foam padded back with side arm supports adds comfort to the patient. Power 500watts. 220V AC.



VI 1040 - NADI SAWEDAN YANTRA (Electrical)

VI 1040 | NADI SAWEDAN YANTRA (Electrical)

Suitable for giving steam bath at particular area. The heavy body steam generator is fitted with an electric heater, pressure gauge, safety pressure valve & steam flow control valve. Steam flows from a hand-held nozzle to give proper steam-bath at a point. Mounted on Four wheels for easy mobility.



Pot for Herbs & Aromatics
For Nadi Sawedan Yantra

VI 1041 | NADI SAWEDAN YANTRA SEMI AUTOMATIC (Electrical)

Heavy body Semi-Automatic Steam generator is suitable for giving steam at a particular area with a specifically designed hand held nozzle.



VI 1041 - NADI SAWEDAN YANTRA SEMI AUTOMATIC (Electrical)

SPECIFICATION:

Water Capacity	25lit. water capacity.
Steam Generator	A. Is fitted with minimum water level Cut Off switch. B. Yantra is also fitted with electric heater, Pressure gauge, safty pressure valve & steam flow control valve. C. Mounted on Four wheels for easy mobility.
Power	3 kw, Heater. 220V AC.
Timer	60 minuts, to control the working of steam generator. (You have to fill water manually in steam generator,when Low Water Sensor cuts off the Electric supply, and restart the unit after water filling).



VI 1050 - SAUNA CABIN DELUXE / TAAP SWEDAN YANTRA



VI 1050 - Inside View



VI 1051 - VIDYUT (Infra-Red) BATH CABINET

VI 1050 | SAUNA CABIN DELUXE / TAAP SWEDAN YANTRA

"Prefabricated royal wooden cabin, suitable for two users, has thermally insulated ceiling and wall sections made of hardwood with optimum characteristics for use in high temperature giving cozy atmosphere.

SPECIFICATION:

- Size 180cm. (W) x 150cm. (Depth) x 190cm. (H).
- Power Three Phase 440v AC.
- Comes with Supplied with 6 kw Stove and Stove Guard, Control Panel, Internal Light. Two Layer Bench, Digital Thermostat.
- Accessories Sauna Rocks, S.S. Bucket and Wooden Ladle

VI 1051 | VIDYUT (Infra-Red) BATH CABINET

Infra-Red bath cabinet, fitted with eight I.R Lamps of 150 watts each and intensity control regulators, is suitable for full body fomentation. Cabinet with thermostate to control the temprature is made out of good quality hardwood & ply-board, seat height is adjustable to need of the patient. Natural Wood polish finish from outside & enamel painted inside.



VI 1055 | FULL-BODY OIL BATH (Avaghah-Swed):



VI 1055 - FULL-BODY OIL BATH (Avaghah-Swed):

The specifically designed Avaghah Koshat unit, automatically maintains oil at proper temperature for soothing and relaxant bath. A Motor Pump is provided with a hand-held nozzle for specific OIL jet massage or store out the oil. The double walled, well insulated & well polished tub is fitted with patient hold bars and is provided with a removable specifically designed S.S. bottom for a proper and non-slip sit of the patient.

SPECIFICATION:

- **Construction** Koshat outer body & inner chamber is made of 16 gauge S.S.Sheet & the double walled tank is well insulated
- **Dimensions** Inner chamber size is : 48"long x 22"wide x 20"deep.
- **Heat Control** Fitted with digital temperature indicator Cum Controller
- **Heater** 1 kw. specifically designed Heater.
- **Oil Flow** Pressure of oil dhara / flow can be controlled electrically.
- **Finish** Polished finish from inside & outside.

VI 1056 | FULL-BODY WATER BATH (Avaghah-Swed):



VI 1056 - FULL-BODY WATER BATH (Avaghah-Swed):

The specifically designed Avaghah Koshat unit, automatically maintains Water at proper temperature for soothing and relaxant bath. A Motor Pump is provided with a hand-held nozzle for specific Water jet massage. The double walled, well insulated & well polished tub is fitted with patient hold bars and is provided with a removable specifically designed S.S. bottom for a proper and non-slip sit of the patient.

SPECIFICATION:

- **Construction** Koshat outer body & inner chamber is made of 16 gauge S.S.Sheet & the double walled tank is well insulated
- **Dimensions** Inner chamber size is : 48"long x 22"wide x 20"deep.
- **Heat Control** Fitted with digital temperature indicator Cum Controller
- **Heater** 1 kw. specifically designed Heater.
- **Water Flow** Pressure of water flow can be controlled electrically.
- **Finish** Polished finish from inside & outside.



VI 1060 - VEERACHAN CHAIR

VI 1060 | VEERACHAN CHAIR

Comfortable commode chair, constructed of square pipe and finished in oven baked enamel, is fitted with solid Teak wood seat with stainless steel commode and back with adjustable recline, is fitted with teak wood rungs, the side-arm supports adds comfort to the patient. Chair is mounted on 10cm heavy duty casters for mobility.



VI 1061 - VAMAN PEETH (Chair + Table)

VI 1061 | VAMAN PEETH (Chair + Table)

Vaman Peeth set comprises of a tubular steel Vaman Table and a Chair with reclining back. Vaman Table is fitted with one stainless steel bucket, Two Glass holders & one utility bar. One 5 liters measuring Jar is provided for Vaman Kriya. Table is fitted with four wheels for mobility. The reclining back & seat is fitted with solid wooden rungs for comfort. Comes with powder coated frame and natural finish wooden rungs.



VI 1062 - NASYA PEETH

VI 1062 | NASYA PEETH

Tubular steel chair with wooden rungs seat and back is comfortable for the patient to sit in semi-recumbent position and place his head on the adjustable head support for the easyness of the doctor to put medicine in the nostrils.

SPECIFICATION:

- **Frame** Constructed of square tube and finished oven baked enamel.
- **Seat & Back** Well polished Teak-wood rungs fitted for comfort, back has adjustable recline & also fitted with Head support.



VI 1062 - NASYA PEETH



VI 1062 - NASYA PEETH



VI 1070 - SHIRODHARA POT / YANTRA
(Stainless Steel)



VI 1071 - SHIRODHARA POT / YANTRA (SS)
with Oil Flow Control Valve



VI 1072 - SHIRODHARA POT / YANTRA
(Brass)



VI 1073 - SHIRODHARA POT / YANTRA (Brass)
with Oil Flow Control Valve



VI 1074 - SHIRODHARA POT / YANTRA
(Copper)



VI 1075 - SHIRODHARA POT / YANTRA
(Copper) with Oil Flow Control Valve

VI 1070 | SHIRODHARA POT / YANTRA (Stainless Steel)

A shallow stainless steel pot with brass chains and 'S' hook to hang to a hook / stand for shirodhara oil treatments. Pot with Oil capacity of 2 liter is fitted with cotton wick for oil flow. Pot with Brass base has a bright natural finish.

VI 1071 | SHIRODHARA POT / YANTRA (SS) with Oil Flow Control Valve

A shallow stainless steel pot with brass chains and 'S' hook to hang to a hook / stand for shirodhara oil treatments. Pot with Oil capacity of 2 liter is fitted with oil flow control valve mechanism. Pot with Brass base has a bright natural finish.

VI 1072 | SHIRODHARA POT / YANTRA (Brass)

A shallow Brass pot with beautiful brass chains & 'S' hook to hang to a hook / stand for shirodhara oil treatments. Pot with Oil capacity of 2 liter is fitted with cotton wick for oil flow. Pot with hammer marks has a bright natural finish.

VI 1073 | SHIRODHARA POT (Brass) with Oil Flow Control Valve

A shallow Brass pot with beautiful brass chains & 'S' hook to hang to a hook / stand for shirodhara oil treatments. Pot with Oil capacity of 2 liter is fitted with oil flow control valve mechanism. Pot with hammer marks has a bright natural finish.

VI 1074 | SHIRODHARA POT / YANTRA (Copper)

A shallow Copper pot with beautiful brass chains and 'S' hook to hang to a hook / stand for shirodhara oil treatments. Pot with Oil capacity of 2 liter is fitted with cotton wick for oil flow. Pot with hammer marks has a bright natural finish.

VI 1075 | SHIRODHARA POT (Copper) with Oil Flow Control Valve

A shallow Copper pot with beautiful brass chains and 'S' hook to hang to a hook / stand for shirodhara oil treatments. Pot with Oil capacity of 2 liter is fitted with oil flow control valve mechanism. Pot with hammer marks has a bright natural finish.

Panchakarma Accessories



VIDHI INTERNATIONAL
Care for Health



VI 1080 - VASTI YANTHRAM with Two vasti tips. (Metal)

VI 1080 | VASTI YANTHRAM with Two vasti tips. (Metal)

Traditional metal Vasti Yantra is made with the mixture of different metals and comes with Two vasti tips (small and large) smooth round tipped Nethrams for painless insertion. Any size of Vasti Tips (small or large) can be screwed to the main body as per requirement.



VI 1085 - SHIRO-VASTI CAP, Large

VI 1085 | SHIRO-VASTI CAP, Large

Adjustable Shiro-Vasti Cap, for oil bath of the Head, outer of the cap is made of soft leather and inner of the cap is stiched with oil proof material & is fitted with three velcro straps to fix around the Head. Large size; 22cm wide x 80cm long.



VI 1090 - SHALAKA


VI 1090 | SHALAKA (Panchaloha)

This is an indispensable tool for Agnikarma procedure. Made from 5 metals viz. Gold, Silver, Copper, Iron and Tin by the traditional hand casting method. Supplied with wooden handle

VI 1095 | PANCHAKARMA / PIZHICHIL ACCESSORIES

(Sets of 16 essential items)

"Most of these are made of white Bronze metal, hand casted in traditional shapes and designs. These are



- 1.) Bowl with Handle
- 2.) Oil Bowl
- 3.) Mortar & Pestle
- 4.) Thannikinnam
- 5.) Nasya Yanthram (Bronze)
- 6.) Polished Uruli – 3" dia (Rasnadi Choornam)
- 7.) Polished Warp – 5" dia (Kalabha Kinnam)
- 8.) Polished Warp - 9" dia
- 9.) Lotta
- 10.) Nilavilakku - 12" size
- 11.) Kindi with Handle – 500 ml
- 12.) Incense Holder
- 13.) Thavi
- 14.) Unpolished Uruli – 12"
- 15.) Vasti Yanthram (Bronze)
- 16.) Vasti Kit (with 50nos. Disposable tips & Bags)"

VI 1095 - PANCHAKARMA / PIZHICHIL ACCESSORIES



Vidhi International

B-8, Aggarwal Plaza, Plot No. H-7, Netaji Subash Place, Pitampura, Delhi-110034 (INDIA)

Mobile : +91-9810295880 Tele No : +91-11-2735807 Fax No : +91-11-27353343

E-mail : Info@VidhiInternational.co, Info@PanchakarmaEquipment.co

Website : www.VidhiInternational.co, www.PanchakarmaEquipment.co

 : vidhiint